PROFESSIONAL FILTRATION PAINT

HiFlux AUTO-LINE[®] filters are specially designed for automatic filtration of paint in industrial productions.

World leading company producing customized industrial filter solutions. Increased security, production and better profitability.



About the Auto-line[®] Automatic filter

Installed at several of the world's largest paint manufacturers.

Before installation:

Cleaning manual filters regularly, high maintenance costs, downtime in production.

Facts for the Auto-line® Automatic filter

Complies to the requirement of CIP friendly design with respect to the hygienic design of the Auto-line filter.

HiFlux Auto-line[®] Filter has been designed as a compact, selfcleaning filter. The sturdy construction of the filter makes it well suited for applications in which operational reliability and dependability are essential.

Accurate filtration down to 50 micrometers [µm].

FEATURES

- Removes unwanted particles High operational reliability.
- Continuous flow process Self-cleaning application.
- Special filter wagons Easy to move the filter around.
- Removal of soft particles

• Ensures the quality Increased product quality.

After installation:

- Eliminates downtime Optimizing earnings.
- Lifting device Easy maintenance.
- Nozzles for cleaning





Did you know?

The Auto-line filter is developed in cooperation with some of the world's leading paint manufacturers. The Auto-line filter is designed to cut down maintenance and production downtime. After installment of the Auto-line filter our customers has increased production and product quality significantly.

Facts and regulations:

PED ATEX Œ **ISO 9001**

HiFlux Filtration A/S Lundagervej 25a 8722 Hedensted

www.hiflux-filtration.dk info@hiflux.dk

Tel +45 76 74 16 60 VAT no. dk 13 45 74 76

PROFESSIONAL FILTRATION RESINS

HiFlux AUTO-LINE[®] filters are specially designed for automatic filtration of resins.



World leading company producing customized industrial filter solutions. Increased security, production and better profitability.



About the AUTO-LINE® Automatic filter

Installed at several of Europe's largest resin manufacturers.

Before installation:

Cleaning manual filters regularly, high maintenance costs, downtime in production.

After installation: Automatic process, increased productivity, minimal maintenance.

Facts for the Auto-Line® Automatic filter

Complies to the ATEX directives. CIP friendly design.

HiFlux Auto-line[®] Filter has been designed as a compact, selfcleaning filter. The sturdy construction of the filter makes it well suited for applications in which operational reliability and dependability are essential.

Accurate filtration down to 50 micrometers [µm].

FEATURES

- Removes unwanted particles
 Ensures the quality High operational reliability.
- Increased product quality.
- Continuous flow process Self-cleaning application.
- Removal of soft particles
- Eliminates downtime Optimizing earnings.
- High viscosity





Did you know?

That Auto-line filters is installed at some of Europe's largest resin manufacturers. After installment production rate and quality has increased. Furthermore, the maintenance is much easier due to the lifting device on the Auto-line filter and safety for the employees has increased.

Facts and regulations:

PED ATEX CE ISO 9001

HiFlux Filtration A/S Lundagervej 25a 8722 Hedensted

www.hiflux-filtration.dk info@hiflux.dk

Tel +45 76 74 16 60 VAT no. dk 13 45 74 76